

## 7.0 REFERENCES

- Altshuler, S.L., T.D. Arcado, and D.R. Lawson. (1995). Weekend vs. Weekday Ambient Ozone Concentrations: Discussion and Hypotheses with Focus on Northern California. *J. Air Waste Manage. Assoc.*, 45, 967-972.
- Alvarez II, R. J., C. J. Senff, R. M. Hardesty, D. D. Parrish, W. T. Luke, T. B. Watson, P. H. Daum, and N. Gillani (1998). "Comparisons of Airborne Lidar Measurements of Ozone with Airborne In Situ Measurements during the 1995 Southern Oxidants Study." *J. Geophys. Res.* 103, 31155-31171.
- Alvarez, R., personal communication (1999).
- Ancellet, G. and F. Ravetta (1998). "Compact Airborne Lidar for Tropospheric Ozone: Description and Field Measurements." *Appl. Opt.* 37, 5509-5521.
- Andreae, M. O. and P. J. Crutzen, Atmospheric aerosols: biogeochemical sources and role in atmospheric chemistry, *Science*, 276, 1052-1058, 1997.
- Archer, S. and D. Reynolds (1996) Mesoscale ETA forecasts of stratus surges along the California coast. National Weather Service Western Region Technical Attachment, No. 96-03, February 6, 1996.
- Ashbaugh, L.L., D. Lawson, B. Johnson, S. Huang, G. Bishop, P. Guenther, D. Stedman, R. Stephens, P. Groblicki and J. Parikh (1992). "On-Road Remote Sensing of Carbon Monoxide and Hydrocarbons Emissions During Several Vehicle Operating Conditions." In *Transactions, PM10 Standards and Nontraditional Particulate Source Controls*, J.C Chow and D.M. Ono, Eds. Air & Waste Management Association, Pittsburgh, PA, pp. 885-898.
- Atkinson, R., Gas-phase tropospheric chemistry of organic compounds: a review, *J. Phys. Chem. Ref. Data*, Monograph 2, 1-216, 1994.
- Atkinson, R., Kinetics and mechanisms of the gas-phase reactions of the hydroxyl radical with organic compounds under atmospheric conditions, *Chem. Rev.*, 86, 69-201, 1986.
- Atkinson, R., D. L. Baulch, R. A. Cox, R. F. Hampson, J. A. Kerr, M. J. Rossi and J. Troe, Evaluated Kinetic and Photochemical Data for Atmospheric Chemistry Supplement-V - IUPAC Subcommittee on Gas Kinetic Data Evaluation for Atmospheric Chemistry, *Journal of Physical and Chemical Reference Data*, 25, in press, 1997.
- Austin, J. and T. Hien (1998). A Characterization of the Weekend-Weekday Behavior of Ambient Ozone Concentrations in California. Draft report prepared by the Technical Support and Planning Division, California Air Resources Board, Sacramento, CA.
- Baker, M. B., Cloud microphysics and climate, *Science*, 276, 1072-1078, 1997.

- Banta, R. M., C. J. Senff, A. B. White, M. Trainer, R. T. McNider, R. J. Valente, S. D. Mayor, R. J. Alvarez, R. M. Hardesty, D. Parrish, and F. C. Fehsenfeld (1998). "Daytime Buildup and Nighttime Transport of Urban Ozone in the Boundary Layer during a Stagnation Episode." *J. Geophys. Res.* 103, 22519-22544.
- Barrie, L. A., J. W. Bottenheim, R. C. Schnell, P. J. Crutzen, R. A. Rasmussen, Ozone destruction and photochemical reactions at polar sunrise in the lower Arctic atmosphere, *Nature*, 334, 138-141, 1988.
- Bishop, G.A. and D.H. Stedman (1990). On-Road Carbon Monoxide Emission Measurement Comparisons for the 1988-1989 Colorado Oxy-Fuels Program. *Environ. Sci. Technol.* 24:843.
- Bishop, G.A. and D.H. Stedman (1996). Measuring the Emissions of Passing Cars. *Accounts of Chemical Research*, 29: 489-495.
- Blake, N.J., S.A. Penkett, K.C. Clemithshaw, P. Anwyl, P. Lightman, A.R.W. Marsh, Estimates of atmospheric hydroxyl radical concentrations from the observed decay of many reactive hydrocarbons in well-defined urban plumes, *J. Geophys. Res.*, 98, 2851-2864, 1993.
- Blanchard, C.L., P.M. Roth, and H.E. Jeffries (1993). Spatial Mapping of Preferred Strategies for Reducing Ambient Ozone Concentraions nationwide. Denver, CO. Envair, Albany, CA and University of North Carolina, Chapel Hill, NC.
- Blier, W., A.M. Winer, D. Hansen and R. Chavira (1998). Analysis of Weekday/Weekend Differences in Ambient Air Quality and Meteorology in the South Coast Air Basin. Draft final report prepared by the Department of Atmospheric Sciences and Environmental Science and Engineering, University of California, Los Angeles for the California Air Resources Board, Sacramento CA, under contract No. 95-334, February, 1998
- Browell, E. V. (1982). "Lidar Measurements of Tropospheric Gases." *Opt. Eng.* 21, 128-132.
- Burns, V.R., J.D. Benson, A.M. Hochhauser, W.J. Koehl, W.M. Kreucher, and R.M. Reuter (1991). SAE Technical Paper. Ser. No. 912320.
- California Air Resources Board (1989) Proposed Identification of Districts Affected by Transported Air Pollutants which Contribute to Violations of the State Ambient Air Quality Standard for Ozone. CARB Staff Report prepared by the Meteorology Section, Technical Support Division October 1989.
- California Air Resources Board (1990) Assessment and Mitigation of the Impacts of Transported Pollutants on Ozone Concentrations within California. CARB Staff Report prepared by the Technical Support Division and the Office of Air Quality Planning and Liaison, June 1990.
- California Air Resources Board (1993) Assessment and Mitigation of the Impacts of Transported Pollutants on Ozone Concentrations within California. CARB Staff Report prepared by the Technical Support Division, June 1993.

- Calvert, J.G. (editor), *Acid Precipitation: SO<sub>2</sub>, NO and NO<sub>2</sub> Oxidation Mechanisms Atmospheric Considerations*, Ann Arbor Science Publishers, Ann Arbor, Michigan, 1984.
- Calvert, J.G. and W.R. Stockwell, "The Mechanism and Rates of the Gas-Phase Oxidations of Sulfur Dioxide and the Nitrogen Oxides in the Atmosphere," In *Acid Precipitation: SO<sub>2</sub>, NO and NO<sub>2</sub> Oxidation Mechanisms Atmospheric Considerations*, (J.G. Calvert, editor), Ann Arbor Science Publishers, Ann Arbor, Michigan, 1984.
- Cardelino, C.A., and W.L. Chameides, (1995). An observation-based model for analyzing ozone precursor relationships in the urban atmosphere. *J. Air Waste Manage. Assoc.*, 45, 161-180.
- Carter, W.P.L. and R. Atkinson, Computer modeling study of incremental hydrocarbon reactivity, *Environ. Sci. Technol.*, 23, 864-880, 1989.
- Carter, W.P.L., A detailed mechanism for the gas-phase atmospheric reactions of organic compounds, *Atmos. Environ.*, 24A, 481-518, 1990.
- Carter, W.P.L., Development of ozone reactivity scales for volatile organic compounds, *J. Air & Waste Manage. Assoc.*, 44, 881-889, 1994.
- Censullo A.C., D.R. Jones, and M.T. Wills (1996). Improvement of Speciation Profiles for Architectural and Industrial Maintenance Coating Operations. Final report prepared by California Polytecnic State University, San Luis Obispo, CA for the California air Resources Board, June 30, 1996.
- Chameides, W. L. and A. Stelson, Aqueous phase chemical processes in deliquescent sea-salt aerosols: a mechanism that couples the atmospheric cycles of S and sea salt, *J. Geophys. Res.*, 97, 20565-20580, 1992.
- Chameides, W.L. and D.D. Davis, The free radical chemistry of cloud droplets and its impact upon the composition of rain, *J. Geophys. Res.*, 87C, 4863-4877, 1982.
- Chameides, W.L., D.D. Davis, G.L. Gregory, G. Sachse, and A.L. Torres, Ozone precursors and ozone photochemistry over eastern North Pacific during the spring 1984 based on the NASA/CITE 1 airborne observations, *J. Geophys. Res.*, 94, 9799-9808, 1988.
- Chameides, W.L., The photochemistry of a remote marine stratiform cloud, *J. Geophys. Res.*, 89D, 4739-4755, 1984.
- Chameides, W.L., The possible role of NO<sub>3</sub> in the nighttime chemistry of a cloud, *J. Geophys. Res.*, 91D, 5331-5337, 1986.
- Chandler, A.S., T.W. Choularton, G.J. Dollard, A.E.J. Eggleton, M.J. Gay T.A. Hill, B.M.R. Jones, B.J. Bandy, and S.A. Penkett, Measurements of H<sub>2</sub>O<sub>2</sub> and SO<sub>2</sub> in clouds and estimates of their reaction rate, *Nature*, 336, 562-565, 1988.

- Chang, J. (1997) The SARMAP Air Quality Model (SAQM) – Prepared for the San Joaquin Valley Air Quality Study Agency.
- Chang, T.Y. and S.J. Rudy (1990) Ozone-forming potential of organic emissions from alternative-fueled vehicles, *Atmos. Environ.*, 24A, 2421-2430, 1990.
- Charlson, R. J. (1972). ‘Multiwavelength Nephelometer Measurements in Los Angeles Smog Aerosol: Preface.’ *J. Colloid Interface Sci.* 39, 240-241.
- Charlson, R. J., D. S. Covert, Y. Tokiwa, and P. K. Mueller (1972). ‘Multiwavelength Nephelometer Measurements in Los Angeles Smog Aerosol: III: Comparison to Light Extinction by NO<sub>2</sub>.’ *J. Colloid Interface Sci.* 39, 260-265.
- Chatfield, R.B., Conversion of nitric acid to formic acid and NO<sub>x</sub>, *Geophys. Res. Lett.* 21, 2705-2708, 1994.
- Chico, T., M. Bassett, J. Cassmassi, S. Mitsutomi, X. Zhang, and H. Hogo (1993). Application of the Urban Airshed Model for a SCAQS Episode in the South Coast Air Basin. In *Proceedings of the International Specialty Conference on the Southern California Air Quality Study Data Analysis*, Los Angeles, CA, July 21-23, 1992, E.M. Fujita, Ed. VIP-26. Air & Waste Management Assoc., Pittsburgh, PA, pp. 257-263.
- Conner, T.L., W.A. Lonneman, and R.L. Seila (1995). Transportation-Related Volatile Hydrocarbon Source Profiles Measured in Atlanta. *J. Air & Waste Manage. Assoc.* 45:383-394.
- Crutzen, P. J., My life with O-3, NO<sub>x</sub> and other YZO(x) compounds (Nobel lecture), *Angew. Chem. Int. Ed. Engl.*, 35, 1758-###, 1996.
- Crutzen, P.J., The role of NO and NO<sub>2</sub> in the chemistry of the troposphere and stratosphere. *Annual Review of Earth and Planetary Science* , 7, 443-472, 1973.
- Cvetanovic, R. J., Chemical kinetic studies of atmospheric interest, 12th International Symposium on Free Radicals , Laguna Beach, CA, January 4-9, 1976.
- Danckwerts, P. V., Absorption by simultaneous diffusion and chemical reaction into particles of various shapes and into falling drops, *Trans. Faraday Soc.*, 47, 1014-###, 1951.
- Danckwerts, P. V., *Gas-Liquid Reactions*, McGraw-Hill, New York, 1970.
- Davidson, J. A., C. A. Cantrell, A. H. McDaniel, R. E. Shetter, S. Madronich, and J. G. Calvert (1988). ‘Visible-Ultraviolet Absorption Cross Sections for NO<sub>2</sub> as a Function of J. Geophys. Res. 93, 7105-7112.
- DeMore, W. B., S. P. Sander, D. M. Golden, R. F. Hampson, M. J. Kurylo, C. J. Howard, A. R. Ravishankara, C. E. Kolb and M. J. Molina *Chemical Kinetics and Photochemical Data for Use in Stratospheric Modeling, Evaluation Number 12*, National Aeronautics and

Space Administration, Jet Propulsion Laboratory, California Institute of Technology, Pasadena, California, 1997.

Derwent, R.G. and P.J.A. Kay, Factors influencing the ground level distribution of ozone in Europe. *Environmental Pollution*, 55, 191-220, 1988.

Derwent, R.G. and M.E. Jenkin, Hydrocarbons and the Long-Range Transport of Ozone and PAN across Europe, *Atmos. Environ.*, 25A, 1661-1678, 1991.

Desjardins, R.L., J.I. Macpherson, H. Neumann, G Den Hartog, and P.H. Schuepp (1995) Flux estimates of latent and sensible heat, carbon-dioxide and ozone using an aircraft-tower combination. Atmospheric Environment: Special Issues for the Regional Photochemical Measurement and Modeling Studies Specialty Conference, 29(21):3147-3158.

Dodge, M.C., Combined effects of organic reactivity and NMHC/NOx ratio on photochemical oxidant formation - A modeling study, *Atmos. Environ.*, 18, 1657-1665, 1984.

Dodge, M.C., A Comparison of Three Photochemical Oxidant Mechanisms, *J. Geophys. Res.*, 94, 5121-5136, 1989.

Dong, S., and P. K. Dasgupta (1987). Fast fluorometric flow injection analysis of formaldehyde in atmospheric water, *Environ. Sci. Technol.* 21, 581-588.

Dorman, C. E. (1987) Possible role of gravity currents in northern California's coastal summer wind reversals, *J. Geophys. Res.*, 92, 1497-1506.

Doswell, 1985: The Operational Meteorology of Convective Weather. Vol. II: Storm Scale Analysis. NOAA Tech. Memo. ERL ESG-15, Environmental Sciences Group, 325 Broadway, Boulder, CO 80303.

Douglas, S. G. 1989. Objective Combination of Prognostic Model Wind Fields and Observational Data for the San Joaquin Valley. Prepared for the San Joaquin Valleywide Air Pollution Study Agency, Fresno, CA by Systems Applications Inc., San Rafael, CA. Douglas, S. G., and R. C. Kessler (1991) Analysis of mesoscale airflow patterns in the south central coast air basin during the SCCCAMP 1985 intensive measurement periods, *J. Appl. Meteorol.*, 30, 607-631, 1991.

Douglas, S.G., T.E. Stoekenius, B.S. Austin, J.R. Pehling, C.A. Emory, and C. Daly (1991) Impacts of changes in Precursor Emissions from the San Francisco Bay Area on ozone in the North Central Coast and San Joaquin Valley Air Basins. Final Report, Contract # A932-133. Prepared for the California Resources Board by Systems Applications International, Inc. 101 Lucas Valley Rd., San Rafael, CA, February 1991. Dunker, A.M., The decoupled direct method for calculated sensitivity coefficients in chemical kinetics. *J. Chem. Phys.*, 81, 2385-2393, 1984.

Douglas, S. G., and R. C. Kessler (1991) Analysis of mesoscale airflow patterns in the south central coast air basin during the SCCCAMP 1985 intensive measurement periods, *J. Appl. Meteorol.*, 30, 607-631, 1991.

- Dunker, A.M., The decoupled direct method for calculated sensitivity coefficients in chemical kinetics. *J. Chem. Phys.*, 81, 2385-2393, 1984.
- Dunker, A.M., Relative reactivity of emissions from methanol-fueled and gasoline-fueled vehicles in forming ozone, *Environ. Sci. Technol.*, 24, 853-862, 1990.
- Dunker, A. M., S. Kumar and P.H.A. Berzins, Comparison of Chemical Mechanisms used in Atmospheric Models, *Atmos. Environ.*, 18, 311-321, 1984.
- Ehhalt, D.H., J.S. Chang and D.M. Butler, The probability distribution of the predicted CFM-induced ozone depletion, *J. Geophys. Res.*, 84, 7889-7894, 1979.
- Elkus, B. and K.R. Wilson (1977). Photochemical Air Pollution: Weekend-weekday differences. *Atmospheric Environment*, 11, 509-515.
- Ensor, D. S., R. J. Charlson, N. C. Ahlquist, K. T. Whitby, R. B. Husar, and B. Y. H. Liu (1972). "Multiwavelength Nephelometer Measurements in Los Angeles Smog Aerosol: I. Comparison of Calculated and Measured Light Scattering." *J. Colloid Interface Sci.* 39, 242-251.
- Fairley, D. and DeMandel, R. 1996. An Analysis of SARMAP Episode Day Representativeness. Final report. Prepared for the SARMAP Data Analysis Project by the Bay Area Air Quality Management District, San Francisco, CA, Faust, B. C., Photochemistry of clouds, fogs and aerosols, *Environ. Sci. Technol.*, 28A, 217, 1994.
- Fan, Q., and P. K. Dasgupta (1994). Continuous automated determination of atmospheric formaldehyde at the parts per trillion level, *Anal. Chem.* 66, 551-556.
- Faust, B. C., Photochemistry of clouds, fogs and aerosols, *Environ. Sci. Technol.*, 28A, 217, 1994.
- Fernald, F. G., B. M. Herman, and J. A. Reagan (1972). "Determination of Aerosol Height Distributions by Lidar." *J. Appl. Meteor.* 11, 482-489.
- Finlayson-Pitts, B. J., and J. N. Pitts, Jr., *Atmospheric Chemistry: Fundamentals and Experimental Techniques*, John Wiley and Sons, New York, 1986.
- Fishman J., S. Solomon, P.J. Crutzen, Observational and theoretical evidence in support of a significant in-situ photochemical source of tropospheric ozone. *Tellus*, 31, 432-446, 1979.
- Friedlander, S.K. (1973). "Chemical Element Balances and Identification of Air Pollution Sources." *Environ. Sci. Technol.*, 1:235-240.
- Fuchs, N. A. and A. G. Sutugin, in *Topics in Current Aerosol Research*, G.M. Hidy and J. C. Brock, Eds., Pergamon, Oxford, pp. 1-60, 1971.

- Fuchs, N.A. and A.G. Sutugin, *Highly Dispersed Aerosols* (Ann Arbor Science, Ann Arbor, MI, 1970.
- Fujita, E.M., B.E. Croes, C.L. Bennett, D.R. Lawson, F.W. Lurmann and H.H. Main (1992). "Comparison of Emission Inventory and Ambient Concentration Ratios of CO, NMOG, and NOX in California's South Coast Air Basin." *J. Air Waste Manage. Assoc.* 42, 264-276.
- Fujita, E.M., J.G. Watson, J.C. Chow and Z. Lu (1994). "Validation of the Chemical Mass Balance Receptor Model Applied to Hydrocarbon Source Apportionment in the Southern California Air Quality Study." *Environ. Sci. Technol.*, 28, 1633-1649.
- Fujita, E.M., D.R. Lawson, J.C. Sagebiel, J.G. Watson, P.T. Roberts, P.M. Roth and S.D. Reynolds (1994). Quantification of Underestimates in the SARMAP Emissions Inventory. Draft Final Report, prepared for California Air Resources Board, Sacramento, CA, 20 October 1994.
- Fujita, E.M., Z. Lu, J. Sagebiel, N.F. Robinson, and J. G. Watson (1995). VOC Source Apportionment for the Coast Oxidant Assessment for Southeast Texas. Final report prepared for the Texas Natural Resource Conservation Commission, August 1995.
- Fujita, E.M. (1997). Technical Review of the Phoenix Voluntary Early Ozone Plan – Application of Hydrocarbon Speciation Measurements and Source Apportionment in the Development of the VEOP Alternative Plausible Emission Inventory. Prepared for ENVAIR, September 1997.
- Fujita, E.M., Z. Lu, L. Sheetz, G. Harshfield, and B. Zielinska (1997). Determination of Mobile Source Emission Source Fraction Using Ambient Field Measurements. Final Report prepared for the Coordinating Research Council, Atlanta, GA, July 1997.
- Fujita, E.M., Z. Lu, L. Sheetz, G. Harshfield, T. Hayes, and B. Zielinska (1997). Hydrocarbon Source Apportionment in Western Washington. Report prepared for the State of Washington Department of Ecology, Lacy, WA, September, 1997
- Fujita, E. M., H. Moosmüller, M. Green, J. Bowen, C. F. Rogers, L. Dolislager, A. Lashgari, N. Motallebi, R. Pasek, and J. Pederson (1998). "SCOS97-NARSTO 1997 Southern California Ozone Study and Aerosol Study, Volume IV: Summary of Quality Assurance." Deseret Research Institute. .
- Fujita, E. , and L. Zhiqiang (1998). Analysis of Data From the 1995 NARSTO-Northeast Study Volume III: Chemical Mass Balance Receptor Modeling. Draft final report prepared for Coordinating Research Council, Atlanta, GA, April, 1998.
- Fujita, E. (1998). Hydrocarbon Source Apportionment for the 1996 Paso del Norte Ozone Study. EPA Contract No. 68-D3-0030. Final report prepared for U.S. Environmental Protection Agency, Dallas, TX., March 1998.

- Fujita, E.M., R.E. Keislar, J.L. Bowen, W. Goliff, F. Zhang, L.H. Sheetz, M.D. Keith, J.C. Sagebiel, and B. Zielinska (1999). 1998 Central Texas On-Road Hydrocarbon Study. Draft final report prepared for the Texas Department of Transportation, Austin, TX under subcontract to PBS&J, Austin, TX, March, 1999.
- Galle, B., A. Sunesson, and W. Wendt (1988). "NO<sub>2</sub>-Mapping Using Laser-Radar Techniques." *Atmos. Environ.* 22, 569-573.
- Gao D. W.R. Stockwell and J.B. Milford, First order sensitivity and uncertainty analysis for a regional scale gas-phase chemical mechanism, *J. Geophys. Res.*, 100, 23153-23166, 1995.
- Gao D. W.R. Stockwell and J.B. Milford, Global uncertainty analysis of a regional scale gas-phase chemical mechanism, *J. Geophys. Res.*, 101, 9107-9119, 1996.
- Gertler, A.W., E.M. Fujita, W.R. Pierson and D.N. Wittorff (1996). "Apportionment of NMHC Tailpipe vs. Non-tailpipe Emissions in the Fort McHenry and Tuscarora Tunnels." *Atmos. Environ.*, 30, 2297-2305.
- Gertler, A.W., J.C. Sagebiel, D.F. Wittorff, W.R. Pierson, W.A. Dipple, D. Freeman, and L. Sheetz (1997). High Exhaust Emitters Project Site Characterization/Selection/ Feasibility Study. Final Report prepared for the Coordinating Research Council (CRC Project No. E-5), Atlanta, GA. March 1997.
- Gervat, G.P., P.A. Clark, A.R.W. Marsh, I. Teasdale, A.S. Chandler, T.W. Choularton, M.J. Gay, M.K. Hill, T.A. Hill, Field evidence for the oxidation of SO<sub>2</sub> in cap clouds, *Nature*, 333, 241-243, 1988.
- Gery, M.W., G.Z. Whitten, J.P. Killus and M.C. Dodge, A photochemical kinetics mechanism for urban and regional scale computer modeling, *J. Geophys. Res.*, 94, 12925-12956, 1989.
- Gibson, F. W. (1994). "Variability in Atmospheric Light-Scattering Properties with Altitude." *Appl. Opt.* 33, 4919-4929.
- Gordon, G.E. (1988) Receptor models. *Environ. Sci. Technol.* 22, 1132-1142.
- Gordon, G.E., Zoller, W.H., Kowalczyk, G.S., Rheingrover, S.W. (1981) Composition of source components needed for aerosol receptor models. In *Atmospheric Aerosol: Source Air/Quality Relationships*, Macias, E.S. and Hopke, P.K., Eds. American Chemical Society, Washington, D.C, pp. 51-74.
- Graedel, T.E., Terpenoids in the atmosphere. *Reviews of Geophysics and Space Physics*, 17, 937-948, 1979.
- Grant, W. B. (1995). 'Lidar for Atmospheric and Hydrospheric Studies.' In Tunable Laser Applications, F. Duarte (Ed.) Marcel Dekker (New York), 213-305.

J. Air & Waste Manage. Assoc. 42, 18-30.

Gunz, D. W. and M. R. Hoffmann, Atmospheric chemistry of peroxides: a review, *Atmos. Environ.*, 24A, 1601-1634, 1990.

Haagen-Smit, A.J., Chemistry and physiology of Los Angeles smog. *Industrial and Engineering Chemistry*, 44, 1342-1346, 1952.

Hanson, D. R. and A. R. Ravishankara, Reactive uptake of ClONO<sub>2</sub> onto sulfuric acid due to reaction with HCl and H<sub>2</sub>O, *J. Phys. Chem.* 98, 5728-5735, 1994.

Hanson, D. R., A. R. Ravishankara and S. Solomon, Heterogeneous reactions in sulfuric acid aerosols: A framework for model calculations, *J. Geophys. Res.* 99, 3615-3629, 1994.

Harley, R.A., M.P. Hannigan and G.R. Cass (1992). "Respeciation of Organic Gas Emissions and the Detection of Excess Unburned Gasoline in the Atmosphere." *Environ. Sci. Technol.*, 26, 2395-2408.

Harley, R.A., A.G. Russell, G.J. McRae, G.R. Cass, and J.H. Seinfeld (1993). Photochemical Modeling of the Southern California Air Quality Study. *Environ. Sci. Technol.*, 27:378-388.

Hauglustaine, D. A., B. A. Ridley, S. Solomon, P. G. Hess and S. Madronich, HNO<sub>3</sub>/NO<sub>x</sub> ratio in the remote troposphere during MLOPEX2: evidence for nitric acid reduction on carbonaceous aerosols?, *Geophys. Res. Lett.*, 23, 2609-2612, 1996.

Hayes, T.P., J.J.R. Kinney and N.J.M. Wheeler (1984). California Surface Wind Climatology, California Air Resources Board, Sacramento, CA.

Henry, R.C. (1982). "Stability Analysis of Receptor Models that Use Least Squares Fitting." In Receptor Models Applied to Contemporary Air Pollution Problems, S.L. Dattner and P.K. Hopke, Eds. Air Pollution Control Association, Pittsburgh, PA, pp. 141-154.

Henry, R.C. (1992). "Dealing with Near Collinearity in Chemical Mass Balance Receptor Models." *Atmos. Environ.*, 26A(5):933-938.

Henry, R.C., C.W. Lewis and J.F. Collins (1994). "Vehicle-Related Hydrocarbon Source Compositions from Ambient Data: The GRACE/SAFER Method". *Environ. Sci. Technol.*, Vol. 28, No. 5, 1994.

Hidy, G.M. and Venkataraman, C. (1996) The chemical mass balance method for estimating atmospheric particle sources in Southern California. *Chem. Eng. Comm.* 151, 187-209.

Hitschfeld, W. and J. Bordan (1954). "Errors Inherent in the Radar Measurement of Rainfall at J. Meteor. 11, 58-67.

- Horie, Y., J. Cassmassi, L. Lai, and L. Gurtowski. (1979). Weekend/Weekday Differences in Oxidants and Their Precursors. Report prepared by Technology Services Corporation for the U. S. Environmental Protection Agency under Contract No. 68-02-2595.
- Hough, A. M., An intercomparison of mechanisms for the production of photochemical oxidants, *J. Geophys. Res.*, 93, 3789-3812, 1988.
- Hov, Ø. Changes in tropospheric ozone: A simple model experiment. In: Bojkov R.D. and P. Fabian (eds) *Ozone in the Atmosphere, Proceedings of the Quadrennial Ozone Symposium 1988 and Tropospheric Ozone Workshop*. Deepak, Hampton, Virginia, pp 557-560, 1989.
- Ingalls, M.N., Smith L.R., Kirksey, R.E. (1989). Measurement of On-Road Vehicle Emission Factors in the California South Coast Air Basin - Volume I: Regulated Emissions. Report prepared for the Coordinating Research Council, Atlanta, GA, by the Southwest Research Institute, San Antonio, TX, under project SCAQS-1.
- Jacob, D.J., The chemistry of OH in remote clouds and its role in the production of formic acids and peroxymonosulfate, *J. Geophys. Res.*, 91D, 9807-9826, 1986.
- Javitz, H.S., and J.G. Watson (1988). "Feasibility Study of Receptor Modeling for Apportioning Utility Contributions to Air Constituents, Deposition Quality and Light Extinction." Draft report prepared for Electric Power Research Institute, Palo Alto, CA, by SRI International, Menlo Park, CA.
- Jeffries, H.E. and S. Tonnesen, A Comparison of Two Photochemical Reaction Mechanisms Using Mass Balance and Process Analysis, *Atmos. Environ.*, 28, 2991-3003, (1994).
- Jonson, J. E. and I. S. A. Isaksen, Tropospheric ozone chemistry. The impact of cloud chemistry, *J. Atmos. Chem.*, 16, 99-122, 1993.
- Junge, C.E., *Air Chemistry and Radioactivity*. Academic Press, New York, 1963.
- Keen, S. A., G. Mount, F. Eisele, E. Williams, J. Harder, P. Goldan, W. Kuster, S. C. Liu, K. Baumann, D. Tanner, A. Fried, S. Sewell, C. Cantrell, and R. Shetter, Photochemical modeling of hydroxyl and its relationship to other species during the Tropospheric OH Photochemistry Experiment, *J. Geophys. Res.*, 102, 6467-6493, 1997.
- Kirchner, F. and W.R. Stockwell, Correction to "Effect of peroxy radical reactions on the predicted concentrations of ozone, nitrogenous compounds and radicals" by Frank Kirchner and William R. Stockwell, *J. Geophys. Res.*, 102, 10871, 1997.
- Kirchner, F. and W.R. Stockwell, Effect of peroxy radical reactions on the predicted concentrations of ozone, nitrogenous compounds and radicals, *J. Geophys. Res.*, 101, 21007-21022, 1996.
- Klett, J. D. (1981). "Stable Analytical Inversion Solution for Processing Opt. 20, 211-220. Appl.

- Kloesel, K. A., Marine stratocumulus clearing episodes observed during FIRE, *Mon. Wea. Rev.*, 120, 565-578, 1992.
- Kolb, C. E. et al., in *Progress and Problems in Atmospheric Chemistry*, J. R. Barker, Ed., World Scientific, Singapore, vol. 3, pp. 771–875, 1995.
- Korc M.E., Roberts P.T., Chinkin L.R., and Main H.H. (1993) Comparison of emission inventory and ambient concentration ratios of CO, NMOC, and NO<sub>x</sub> in the Lake Michigan Air Quality Region. Draft final report prepared for Lake Michigan Air Directors Consortium, Des Plaines, IL by Sonoma Technology, Inc., Santa Rosa, CA, STI-90218-1357-DFR, October.
- Kovalev, V. A. and H. Moosmüller (1994). "Distortion of Particulate Extinction Profiles Measured by Lidar in a Two-Component Atmosphere." *Appl. Opt.* 33, 6499-6507.
- Kuhn M., P.J.H. Builtjes, D. Poppe, D. Simpson, W.R. Stockwell, Y. Andersson-Sköld, A. Baart, M. Das, F. Fiedler, Ø. Hov, F. Kirchner, P.A. Makar, J.B. Milford, M.G.M. Roemer, R. Ruhnke, A. Strand, B. Vogel and H. Vogel, Intercomparison of the gas-phase chemistry in several chemistry and transport models, *Atmos. Environ.*, in press, 1997.
- Lary, D.J., A.M. Lee, R. Toumi, M.J. Newchurch, M. Pirre and J.B. Renard, Carbon aerosols and atmospheric photochemistry, *J. Geophys. Res.* 102, 3671-3682, 1997.
- Lawson, D.R., P.J. Groblicki, D.H. Stedman, G.A. Bishop and P.L. Guenther (1990). Emissions from In-Use Motor Vehicles in Los Angeles: A Pilot Study of Remote Sensing and the Inspection and Maintenance Program. *J. Air Waste Manage. Assoc.* 40:1096.
- Le Bras, G. (ed), *Chemical Processes in Atmospheric Oxidation*, Springer Verlag, Berlin, 1997.
- Leaitch, W. R., J. W. Bottenheim and J. W. Strapp, Possible contribution of N<sub>2</sub>O<sub>5</sub> scavenging to HNO<sub>3</sub> observed in winter stratiform cloud, *J. Geophys. Res.*, 93D, 12569-12584, 1988.
- Leiper, D.F. (1994) Fog forecasting objectively in the California Coastal Area using LIBS. *Weather and Forecasting*, 10:741-762.
- Leiper, D.F. (1994) Fog on the US west coast: A review. *Bull. Amer. Meteor. Soc.*, 72:229-240.
- Lelieveld, J. and P.J. Crutzen, The role of clouds in tropospheric photochemistry, *J. Atmos. Chem.*, 12, 229-267, 1991.
- Leone, J.A. and J.H. Seinfeld, Comparative analysis of chemical reaction mechanisms for photochemical smog. *Atmos. Environ.*, 19, 437-464, 1985.
- Lewis, C.W., T.L. Conner, R.K. Stevens, J.F. Collins and R.C. Henry (1993). "Receptor Modeling of Volatile Hydrocarbons Measured in the 1990 Atlanta Ozone Precursor Study." Presented at the 86th Annual Meeting of the Air & Waste Management Association, Denver, CO, June 14-18, 1993.

- Levitt, S.B., and D.P. Chock (1976). Weekend-Weekday Pollutant Studies of the Los Angeles Basin. *J. Air Poll. Control Assoc.*, 26, 1091-1092.
- Lin X., M. Trainer, and S.C. Liu On the nonlinearity of the tropospheric ozone production, *J. Geophys. Res.*, 93, 15879-15888, 1988.
- Liu, S.C., M. Trainer, F.C. Fehsenfeld, D.D. Parrish, E.J. Williams, D.W. Fahey, G. Hübner, and P.C. Murphy, Ozone production in the rural troposphere and the implications for regional and global ozone distributions, *J. Geophys. Res.*, 92, 4191-4207, 1987.
- Ludwig, F. L.; Jiang, J.; and Chen, J. 1995. Classification of Ozone and Weather Patterns Associated with High Ozone Concentrations in the San Francisco and Monterey Bay Areas. Atmospheric Environment: Special Issues for the Regional Photochemical Measurement and Modeling Studies Specialty Conference, 29(21):2915-2928.
- Lurmann, F.W., and N. Kumar, R. Lonergan, G. Moore, Evaluation of the UAM-V Model Performance in the Northeast Region for OTAG Episodes, Ozone Transport Assessment Group, 1998.
- Madronich, S., Photodissociation in the atmosphere 1. Actinic flux and the effects of ground reflections and clouds, *J. Geophys. Res.*, 92, 9740-9752, 1987.
- Madronich, S., Intercomparison of NO<sub>2</sub> Photodissociation and UV Radiometer Measurements, *Atmos. Env.*, 21(3): 569-578, 1987.
- Mahrt, L.; Lenschow, D. H.; MacPherson, J. I.; Desjardins, R.; Sun, J. 1995. Ozone Fluxes Over a Patchy Cultivated Surface. Journal of Geophysical Research: Special Issue for the Regional Photochemical Measurement and Modeling Studies Specialty Conference, 100:23,125-23,131.
- Manatt, S. L. and A. L. Lane (1993). "A Compilation of the Absorption Cross-Sections of SO<sub>2</sub> from 106 to 403 nm." *J. Quant. Spectrosc. Radiat. Transfer* 50, 267-276.
- Mass, C. F., and M D. Albright (1987) Coastal southerlies and alongshore surges of the west coast of North America: Evidence of mesoscale topographically trapped response to synoptic forcing, *Mon., Wea. Rev.*, 115, 1707-1738.
- Matthijsen, J., P. J.H. Builtjes, and D.L. Sedlak, Cloud model experiments of the effect of iron and copper on tropospheric ozone under marine and continental conditions, *Meteorol. Atmos. Phys.*, 57, 43-60, 1995.
- Mazurek, M. A., G.R. Cass, and B.R.T. Simoneit, Biological input to visibility-reducing aerosol particles in the remote arid southwestern United States, *Environ. Sci. Technol.*, 25, 684-694, 1991.
- McCroskey, P. S., and G.J. McRae, *Documentation for the direct decoupled sensitivity analysis method -- DDM, Report*. Department of Chemical Engineering, Carnegie Mellon University, Pittsburgh, Pennsylvania, 1987.

- McElroy, J. L., and T. B. Smith (1991) Lidar descriptions of mixing-layer thickness characteristics in a complex terrain/coastal environment, *J. Appl. Meteorol.*, 30, 585-597.
- McElroy, J. L., H. Moosmüller, R. M. Jorgensen, C. M. Edmonds, R. J. Alvarez, II, and D. H. Bundy (1994). "Airborne UV-DIAL Urban Plume Measurements." In Tunable Diode Laser Spectroscopy, Lidar, and DIAL Techniques for Environmental and Industrial Measurement, A. Fried, D. K. Killinger and H. I. Schiff (Eds.), Proc. SPIE 2112, 251-260.
- McLaughlin, S.B. and G.E. Taylor (1981) Relative humidity: Important modifier of pollutant uptake by plants. *Science*, 211:167-169.
- McRae, G.J., Russell, A.G. and Harley, R.A. (1992b) *CIT Photochemical Airshed Model - Data Preparation Manual*. Carnegie Mellon University, Pittsburgh, Pennsylvania and California Institute of Technology, Pasadena, California. Report to the Coordinating Research Council under project SCAQS-8.
- Measures, R. M. (1984). *Laser Remote Sensing*. John Wiley & Sons, Inc. (New York).
- Mentel, Th. F., D. Bleilebens and A. Wahner, A study of nighttime nitrogen oxide oxidation in a large reaction chamber — The fate of NO<sub>2</sub>, N<sub>2</sub>O<sub>5</sub>, HNO<sub>3</sub>, and O<sub>3</sub> at different humidities, *Atmos. Environ.*, 30, 4007-4020, 1996.
- Milford, J.B., D. Gao., A.G. Russell, and G.J. McRae, Use of sensitivity analysis to compare chemical mechanisms for air-quality modeling, *Environ. Sci. Technol.*, 26, 1179-1189, 1992.
- Milford, J.B., Russell. A.G., McRae. G.J. (1989) Spatial patterns in photochemical pollutant response to NO<sub>x</sub> and ROG reductions. *Environmental Science and Technology* 23:1290-1301.
- Milford, J.B., D. Gao, S. Sillman, P. Blossey and A.G. Russell (1994). Total reactive nitrogen (NOy) as an indicator of the sensitivity of ozone to reduction in hydrocarbon and NOx emissions. *J. Geophys. Res.* 99, 3533-3542.
- Mojave Desert Air Pollution Transport Committee (MDAPTC) (1995). Interim Report to the California Air Resources Board. Prepared by committee members, February, 1995.
- Molina, L. T. and M. J. Molina (1986). "Absolute Absorption Cross Sections of Ozone in the 185- to 350-nm Wavelength Range." *J. Geophys. Res.* 91, 14501-14508.
- Moore, G. E.; Morris, R. E.; and Daly, C. 1987. *Application of an Air Quality Model to the California San Joaquin Valley*. Prepared for the San Joaquin Valleywide Air Pollution Study Agency, Fresno, CA by Systems Applications Inc., San Rafael, CA.
- Moore, G. E., S. G. Douglas, R. C. Kessler, and J. P. Killus (1991) Identification and tracking of polluted air masses in the south-central coast air basin, *J. Appl. Meteorol.*, 30, 715-732.

- Moosmüller, H. (1994). "Analysis of UV-DIAL Data Acquired During the 1993 COAST Study." Desert Research Institute, University of Nevada System. Final Report to the Texas Natural Conservation Commission.
- Moosmüller, H., D. Diebel, H. Bundy, M. P. Bristow, R. J. Alvarez, II, V. A. Kovalev, C. M. Edmonds, R. M. Turner, and J. L. McElroy (1992). "Ozone Measurements with the U.S. EPA UV-DIAL: Preliminary Results." In Sixteenth International Laser Radar Conference, M. P. McCormick (Ed.) NASA Conference Publications (Hampton, VA), 3158, 95-98.
- Moosmüller, H., R. J. Alvarez, II, C. M. Edmonds, R. M. Turner, D. H. Bundy, and J. L. McElroy (1993). "Airborne Ozone Measurements with the USEPA UV-DIAL." In Optical Remote Sensing of the Atmosphere Technical Digest, Optical Society of America (Washington, D.C.), 5, 176-179.
- Moosmüller, H., R. J. Alvarez, Jr., R. M. Jorgensen, C. M. Edmonds, D. H. Bundy, and J. L. McElroy (1994). "An Airborne UV-DIAL System for Ozone Measurements: Field Use and Verification." In Optical Sensing for Environmental Monitoring, Air & Waste Management Association (Pittsburgh, PA), SP-89, 413-422.
- Mozurkewich, M., P.H. McMurry, A. Gupta and J.G. Calvert, Mass Accommodation coefficient for HO<sub>2</sub> radicals on aqueous particles, *J. Geophys. Res.*, 92, 4163-4170, 1987.
- Müller, J.F and G. Brasseur, IMAGES: A three-dimensional chemical transport model of the global troposphere, *J. Geophys. Res.*, 100, 16445-16490, 1995.
- Myrup, L.O., R.G. Flocchini, and D. Ewell (1981) Transport of Atmospheric Aerosols Above the Sierra Nevada Slopes, Final Report, Contract A4-127-32. Prepared by University of California Davis, January 15, 1989.
- Neff, W.D., J. Jorden, J. Gaynor, D. Wolfe, W. Ecklund, D. Carter, and K. Gage (1991) The use of 915 MHz radar wind profilers in complex terrain and regional air quality studies. Preprints, Seventh Joint Conference on Applications of Air Pollution Meteorology with AWMA. 14-18 January 1991, New Orleans, LA, American Meteorological Society. Boston, MA., J230-J233.
- NOAA, National Oceanic and Atmospheric Administration, National Aeronautics and Space Administration and U.S. Air Force, *U.S. Standard Atmosphere*, U.S. Government Printing Office, Washington, D.C., 1976.
- Odum, J.R., T.P.W. Jungkamp, R. J. Griffin, R.C. Flagan, and J.H. Seinfeld, The atmospheric aerosol-forming potential of whole gasoline vapor, *Science*, 276, 96-99, 1997.
- Olson, J., M. Prather, T. Berntsen, G. Carmichael, R. Chatfield, P. Connell, R. Derwent, L. Horowitz, S. Jin, M. Kanakidou, P. Kasibhatla, R. Kotomarthi, M. Kuhn, K. Law, S. Sillman, J. Penner, L. Perliski, S. Sillmann, F. Stordal, A. Thompson, and O. Wild, Results from the Intergovernmental Panel on Climatic Change photochemical model intercomparison (Photocomp), *J. Geophys. Res.*, 102, 5979-5991, 1997.

- Paulson, S.E., R.C. Flagan and J.H. Seinfeld, Atmospheric photooxidation of isoprene, Part I: the hydroxyl radical and ground state atomic oxygen reactions, *Int. J. Chem. Kinet.*, 24, 79-101, 1992a.
- Paulson, S.E., R.C. Flagan and J.H. Seinfeld, Atmospheric photooxidation of isoprene, Part II: the ozone-isoprene reaction, *Int. J. Chem. Kinet.*, 24, 103-125, 1992b.
- Pederson, J. R.; Massman, W. J.; Mahrt, L. J.; Delany, A.; Oncley, S. P.; den Hartog, G.; Neumann, H. H.; Mickle, R. E., Shaw, R. H.; Paw U, K. T.; Grantz, D. A.; MacPherson, J. I.; Desjardins, R.; Schuepp, P. H.; Pearson Jr., R.; and Arcado, T. E. 1995. California Ozone Deposition Experiment: Methods, Results and Opportunities. *Atmospheric Environment: Special Issues for the Regional Photochemical Measurement and Modeling Studies Specialty Conference*, 29(21):3115-3132.
- Penkett, S.A., B.M.R. Jones, K.A. Brice and A.E.J. Eggleton, The importance of atmospheric ozone and hydrogen peroxide in oxidising sulphur dioxide in cloud and rainwater, *Atmos. Environ.*, 13, 123-137, 1979.
- Pierson, W.R., A.W. Gertler, and R.L. Bradow (1990). Comparison of the SCAQS Tunnel Study with Other On-Road Vehicle Emission Data. *J. Air Waste Manage. Assoc.* 40:1495-1504.
- Poppe, D., J. Zimmermann, R. Bauer, T. Brauers, D. Brüning, J. Callies, H.-P. Dorn, A. Hofzumahaus, F.-J. Johnen, A. Khedim, H. Koch, R. Koppmann, H. London, K.-P. Müller, R. Neuroth, C. Plass-Dülmer, U. Platt, F. Rohrer, E.-P. Röth, J. Rudolph, U. Schmidt, M. Wallasch, and D. H. Ehnhalt, Comparison of measured OH concentrations with model calculations, *J. Geophys. Res.*, 99, 16633-16642, 1994.
- Pruppacher, H. R. and R. Jaenicke, *Atmos. Res.*, 38, 283, 1995.
- Pun, B.K., J. Louis, C. Seigneur, A Conceptual Model for Ozone Formation in the San Joaquin Valley, Document Number CP049-1-98. Prepared for Technical and Ecological Services, Pacific Gas and Electric Company, 3400 Crow Canyon Rd., San Ramon, CA 94583. Prepared by Atmospheric and Environmental Research, Inc., 2682 Bishop Drive, Suite 120, San Ramon, CA 94583, 15 December 1998.
- Ramsden, A. R. and M. Shibaoka, Characterization and analysis of individual fly-ash particles from coal-fired power stations by a combination of optical microscopy, electron microscopy and quantitative electron microprobe analysis, *Atmos. Environ.*, 16, 2191-2206, 1982.
- Ravishankara, A.R., Heterogeneous and multiphase chemistry in the troposphere, *Science*, 276, 1058-1065, 1997.
- Roberts, P.T., S. Musarra, T.B. Smith, and F.W. Lurmann, A Study to Determine the Nature and Extent of Ozone and Ozone Precursor Transport in Selected Areas of California. Prepared for the California Air Resources Board, 2020 L Street, Sacramento, CA. Prepared by Sonoma Technology, Inc, Santa Rosa, CA, April 1992.

- Rogaski, C. A., D.M. Golden, L. R. Williams, Reactive uptake and hydration experiments on amorphous carbon treated with NO<sub>2</sub>, SO<sub>2</sub>, O<sub>3</sub>, HNO<sub>3</sub> and H<sub>2</sub>SO<sub>4</sub>, *Geophys. Res. Lett.*, 24, 381-384, 1997.
- Rogers, D.P. (1995) U.S. National Report to IUGG, American Geophysical Union, 1991-1994, Rev. Geophys. Vol. 33 Suppl.
- Rood, M. J., D.S. Covert, T.V. Larson, Hygroscopic properties of atmospheric aerosol in Riverside, California, *Tellus*, 39B, 383-397, 1987.
- Roth, P.M., T.W. Tesche, and S.D. Reynolds (1998) A critical review of regulatory air quality modeling for tropospheric ozone. Prepared for the American petroleum Institute, Washington D.C., by Envair, San Anselmo, CA and Alpine Geophysics, LLC, Covington, KY. September 12, 1998.
- Rothe, K. W., U. Brinkmann, and H. Walther (1974a). "Application of Tunable Dye Lasers to Air Pollution Detection: Measurement of Atmospheric NO<sub>2</sub> Concentrations by Differential Absorption." *Appl. Phys.* 3, 115-119.
- Rothe, K. W., U. Brinkmann, and H. Walther (1974b). "Remote Measurement of NO<sub>2</sub> Emission from a Chemical Factory by the Differential Absorption Technique." *Appl. Phys.* 4, 181-182.
- Russell, A., J.B. Milford, M.S. Bergin, S. McBride, L. McNair, Y. Yang, W.R. Stockwell and B. Croes, Urban ozone control and atmospheric reactivity of organic gases, *Science*, 269, 491-495, 1995.
- Sagebiel, J.C., B. Zielinska, W.R. Pierson and A.W. Gertler (1996). "Real-World Emissions and Calculated Reactivities of Organic Species from Motor Vehicles". *Atmos. Environ.*, 30, 2287-2296.
- San Joaquin Valley Unified Air Pollution Control District (1994). "The Ozone Attainment November 3, 1994.
- Schaefer, J.T., and C.A. Doswell III, 1980: The theory and practical application of antitriptic balance. *Mon. Wea. Rev.*, 108, 746-756.
- Schultz, M.B. (1975) Meso-climatic wind patterns and their application for abatement of air pollution in the Central California Valley. Final Report, CARB Project NO. 111, Dept. of Ag. Eng., U.C. Davis, 56 pp.
- Schwartz, S. E., in *Chemistry of Multiphase Atmospheric Systems*, W. Jaenchke, Ed., Springer-Verlag, Berlin, Heidelberg, Germany, vol. G6, pp. 415–471, 1986.
- Seinfeld, J. H., *Atmospheric Chemistry and Physics of Air Pollution*, John Wiley, New York, 1986.

- Senff, C. J., R. M. Hardesty, R. J. Alvarez II, and S. D. Mayor (1998). "Airborne Lidar Characterization of Power Plant Plumes during the 1995 Southern Oxidants Study." *J. Geophys. Res.* 103, 31173-31189.
- Ship, E. and J. McIntosh (personal communicaton, telephone conversations with meteorologists at the San Joaquin Valley Unified Air Pollution Control District, during April and May , 1999.)
- Siegl, W.O., R.W McCabe, W. Chun, E.W. Kaiser, J. Perry, Y.I. Henig, F.H. Trinker and R.W. Anderson (1992). "Speciated Hydrocarbon Emissions from the Combustion of Single Component Fuels. I. Effects of Fuel Structure." *J. Air & Waste Manage. Assoc.*, 42, 912-920.
- Sigsby, J.E., S. Tejada, W. Ray, J.M. Lang and J.W. Duncan (1987). "Volatile Organic Compound Emissions from 46 In-Use Passenger Cars." *Environ. Sci. Technol.*, 21, 466-475.
- Sillman, S. (1995). The use of NO<sub>y</sub>, H<sub>2</sub>O<sub>2</sub>, and HNO<sub>3</sub> as indicators for ozone-Nox-hydrocarbon sensitivity in urban locations. *J. Geophys. Res.* 100, 14,175-14,188.
- Slemr, F. and H.G. Tremmel, Hydroperoxides in the marine troposphere over the Atlantic Ocean, *J. Atmos. Chem.*, 28, 311-315, 1994.
- Smith, T.B., D.E. Lehrman, D.D Reible, and F.H. Shair (1981) The origin and fate of airborne pollutants within the San Joaquin Valley, Rep. MRI FR-1838, Meteorology Research, Inc., Altadena, CA. Prepared for the California Air Resources Board.
- Smith, T.B., W.E. Saunders, and D.M Takeuchi (1984) Application of Climatological Analysis to Minimize Air Pollution Impacts in California, Final Report Prepared for the California Air Resources Board by Meteorology Research, Inc., August 1984.
- Smith, T. B. (1994) Ozone Episode Forecasting in the San Joaquin Valley. Planning and Managing Regional Air Quality Modeling and Measurement Studies: A Perspective Through the San Joaquin Valley Air Quality Study and AUSPEX, ed. by P. A. Solomon. Published by Lewis Publishers, Chelsea, MI in conjunction with Pacific Gas and Electric Company, San Ramon, CA, pp. 507-528.
- Solberg S., C. Dye, N. Schmidbauer, and D. Simpson, Evaluation of VOC measurement programme within EMEP, Norwegian Institute for Air Research, Kjeller, Norway, EMEP/CCC - Report 5/95, 1995.
- Solomon, P.A., R.H. Thuillier, K.L. Magliano, J.R. Pederson, and K.L. Finn (1997) SJVAQS/AUSPEX/SARMAP Publications, PG&E Document No. 005-97.8 (R&D General), Prepared for Pacific Gas and Electric Company San Ramon, California and San Joaquin Valleywide Air Pollution Study Agency c/o California Air Resources Board Sacramento, CA, June 1997. Stockwell, W.R., A homogeneous gas phase mechanism for use in a regional acid deposition model, *Atmos. Environ.*, 20, 1615-1632, 1986.

- Stedman, D.H. (1989). Automobile Carbon Monoxide Emissions. *Environ. Sci. Technol.* 23:147.
- Stockwell, W.R., A homogeneous gas phase mechanism for use in a regional acid deposition model, *Atmos. Environ.*, 20, 1615-1632, 1986.
- Stockwell, W.R., F. Kirchner, M. Kuhn, and S. Seefeld, A New Mechanism for Regional Atmospheric Chemistry Modeling, *J. Geophys. Res.*, 102, 25847-25879, 1997.
- Stockwell, W.R., J.B. Milford, D. Gao and Y-J. Yang, The effect of acetyl peroxy - peroxy radical reactions on peroxyacetyl nitrate and ozone concentrations, *Atmos. Environ.*, 29, 1591-1599, 1995.
- Stockwell, W.R., On the HO<sub>2</sub> + HO<sub>2</sub> reaction: Its misapplication in atmospheric chemistry models, *J. Geophys. Res.*, 100, 11695-11698, 1995.
- Stockwell, W.R., P. Middleton, J.S. Chang and X. Tang, The second generation regional acid deposition model chemical mechanism for regional air quality modeling, *J. Geophys. Res.*, 95, 16343-16367, 1990.
- Stockwell, W.R., The effect of gas-phase chemistry on aqueous-phase sulfur dioxide oxidation rates, *J. Atmos. Chem.*, 19, 317-329, 1994.
- Stoeckenius, T.E., P.T. Roberts, and L.R. Chinkin (1994) Development of an objective classification procedure for the Bay Area flow types representing ozone-related source-receptor relationships. ARB/R-94/547. Prepared by Systems Applications International and Sonoma Technology, Inc. for the California Air Resources Board.
- Stolarski, R.S., D.M. Butler, and R.D. Rundel, Uncertainty propagation in a stratospheric model 2. Monte Carlo analysis of imprecisions due to reaction rates, *J. Geophys. Res.*, 83, 3074-3078, 1978.
- Thielke, J. F., R. J. Charlson, J. W. Winter, N. C. Ahlquist, K. T. Whitby, R. B. Husar, and B. Y. H. Liu (1972). "Multiwavelength Nephelometer Measurements in Los Angeles Smog Aerosol: II. Correlation with Size Distributions, Volume Concentrations." *J. Colloid Interface Sci.* 39, 252-259.
- Thompson, A.M. and R.W. Stewart, Effect of chemical kinetic uncertainties on calculated constituents in a tropospheric photochemical model, *J. Geophys. Res.*, 96, 13089-13108, 1991b.
- Thompson, A.M. and R.W. Stewart, How chemical kinetics uncertainties affect concentrations computed in an atmospheric photochemical model, *Chemometrics and Intelligent Laboratory Systems*, 10, 69-79, 1991a.
- Thuillier, R. H. and Ranzieri, A. 1995. SARMAP -- Lessons Learned. **Proceedings, Regional Photochemical Measurement and Modeling Studies, Volume 3, Other Topics Related to Regional Studies.** An A&WMA International Specialty Conference, San

- Diego, CA, 7-12 November 1993, ed. by A. J. Ranzieri and P. A. Solomon. Published by the Air & Waste Management Association, Pittsburgh, PA, pp. 1064-1081.
- Thuillier, R. H. and Ranzieri, A. 1997a. SARMAP -- How Did We Do? Submitted for inclusion in **Ozone, Science and Policy**, ed. by M. O. Rodgers and P. A. Solomon. Lewis Publishers, Chelsea, MI. Final draft submitted for publication.
- Thuillier, R. H. and Ranzieri, A. 1997b. SARMAP -- What Did We Do? Submitted for inclusion in **Ozone, Science and Policy**, ed. by M. O. Rodgers, and P. A. Solomon. Lewis Publishers, Chelsea, MI. Final draft submitted for publication.
- Tolbert, M. A., J. Pfaff, I. Jayaweera, and M.J. Prather, Uptake of formaldehyde by sulfuric acid solutions: impact on stratospheric ozone, *J. Geophys. Res.* 98, 2957-2962, 1993.
- Trainer, M., E.T. Williams, D.D. Parrish, M.P. Buhr, E.J. Allwine, H.H. Westberg, F.C. Fehsenfeld, and S.C. Liu, Models and observations of the impact of natural hydrocarbons in rural ozone, *Nature*, 329, 705-707, 1987.
- Trainer, M., D.D. Parrish, M.P. Buhr, R.B. Norton, F.C. Fehsenfeld, K.G. Anlauf, J.W. Bottenheim, Y.Z. Tang, H.A. Wiebe, J.M. Roberts, R.L. Tanner, L. Newman, V.C. Bowersox, J.F. Meagher, K.J. Olszyna, M.O. Rodgers, T. Wand, H. Berresheim, K.L. Demerjian, and U.K. Roychowdhury (1993). Correlation of Ozone with NO<sub>x</sub> in Photochemically Aged Air. *J. Geophys. Res.* 98, 2917-2925.
- Vergeiner, L. and E. Dreiseitl (1987) Valley winds and slope winds: Observations and elementary thoughts. *Meteor. Atmos. Phys.*, 26:264-286.
- Villalta, P.W., E.R. Lovejoy, and D.R. Hanson, Reaction probability of peroxyacetyl radical on aqueous surfaces, *Geophys. Res. Lett.*, 23, 1765-1768, 1996.
- Vogt, R., P. J. Crutzen and R. Sander, A mechanism for halogen release from sea-salt aerosol in the remote marine boundary layer, *Nature*, 383, 327-330, 1996.
- Wagner, K.K., and N.J.M. Wheeler (1993). Multi-Species Evaluation of the Urban Airshed Model with the SCAQS Database. In *Proceedings of the International Specialty Conference on the Southern California Air Quality Study Data Analysis*, Los Angeles, CA, July 21-23, 1992, E.M. Fujita, Ed. VIP-26. Air & Waste Management Assoc., Pittsburgh, PA, pp. 264-269.
- Walcek C. J., H.-H. Yuan and W. R. Stockwell, The influence of in-cloud chemical reactions on ozone formation in polluted and nonpolluted areas, *Atmos. Environ.*, 31, 1221-1237, 1997.
- Warneck, P., *Chemistry of the Natural Atmosphere*, Academic Press, San Diego, California, 1988.

- Watson, J.G. (1979). "Chemical Element Balance Receptor Model Methodology for Assessing the Sources of Fine and Total Particulate Matter." Ph.D. Dissertation, Oregon Graduate Center, Beaverton, OR. University Microfilms International, Ann Arbor, MI.
- Watson, J.G. (1984) Overview of receptor model principles. *JAPCA* 34, 619-623.
- Watson, J.G., and N.F. Robinson (1984). "A Method to Determine Accuracy and Precision Required of Receptor Model Measurements." In *Quality Assurance in Air Pollution Measurements*. Air Pollution Control Association, Pittsburgh, PA.
- Watson, J.G., J.C. Chow, and T.G. Pace (1991). "Chemical Mass Balance." In *Receptor Modeling for Air Quality Management, Data Handling in Science and Technology*, Volume 7, P.K. Hopke, Ed. Elsevier Science Publishers, New York, NY, pp. 83-116.
- Watson, J.G., J.C. Chow, J.E. Core, D.A. Dubose, P.L. Hanrahan, R.C. Henry, T.G. Pace, N.F. Robinson, H.J. Williamson, and L. Wijnberg (1990b). "Receptor Model Technical Series, Volume III (User's Update), CMB User's Manual, Version 7.0." Prepared for U.S. Environmental Protection Agency, Research Triangle Park, NC, by Desert Research Institute, Reno, NV.
- Watson, J.G., N.F. Robinson, J.C. Chow, R.C. Henry, B.M. Kim, T.G. Pace, E.L. Meyer and Q. Nguyen (1990a). *Environ. Software*, 5(1), 38-49.
- Watson, J.G., Robinson, N.F., Chow, J.C., Henry, R.C., Kim, B.M., Pace, T.G., Meyer, E.L., and Nguyen, Q. (1990) The USEPA/DRI chemical mass balance receptor model, CMB 7.0. *Environ. Software* 5, 38-49.
- Watson, J.G., Chow, J.C., Pace, T.G. (1991) Chemical mass balance. In *Receptor Modeling for Air Quality Management*, Hopke, P.K., Ed. Elsevier Press, New York, NY, pp. 83-116.
- Watson, J.G., D.W. DuBois, R. DeMandel, A. Kaduwela, K. Maglano, C. McDade, P.K. Mueller, A. Ranzieri, P.M. Roth, and S. Tanrikulu (1998). "Aerometric Monitoring Program Plan for the California Regional PM<sub>2.5</sub>/PM<sub>10</sub> Air Quality Study." Prepared by the Desert Research Institute for the CRPAQS Technical Committee, December, 20, 1998.
- Whiteman, C.D. (1990) Observation of thermally developed wind systems in mountainous terrain, Atmospheric Processes over Complex Terrain, William Blumen, ed., Amer. Met. Soc, p 5-42.
- Whiteman, C.D., and T.B. McKee (1979) Air pollution implications of inversion descent in mountain valleys, *Atmos. Environ.* 12:2151-2158.
- Whittig, B, H.H Main, P.T. Roberts, S.B. Hurwitt (1999) Analysis of PAMS data in California Volume III: Trends analysis of California PAMS and long-term trend air quality data. Final Report STI-998393-1885-FR prepared by Sonoma Technology, Inc., Petaluma, CA. WMO, Scientific Assessment of Ozone Depletion: 1994, *World Meteorological Organization Global Ozone Research and Monitoring Project - Report 37*, Geneva, 1994.

Yang Y-J., W.R. Stockwell, and J.B. Milford, Uncertainties in incremental reactivities of volatile organic compounds, *Envir. Sci. Technol.*, 29, 1336-1345, 1995.

Zhao, Y., R. M. Hardesty, and J. E. Gaynor (1994). "Demonstration of a New and Innovative Ozone Lidar's Capability to Measure Vertical Profiles of Ozone Concentration and Aerosol in the Lower Troposphere." National Oceanic and Atmospheric Administration, Environmental Technology Laboratory, Atmospheric Lidar Division. Final Report to the California Air Resource Board, Research Division, ARB-R-92-328.

Zhao, Y., R. M. Hardesty, and M. J. Post (1992). "Multibeam Transmitter for Signal Dynamic Range Reduction in Incoherent Lidar Systems." *Appl. Opt.* 31, 7623-7632.